лено, что рацион детей, питание которых осуществляется в детском саду с устаревшей технологией приготовления пищи с использованием устаревшего оборудования, и детей, питание которых обеспечивается дома, не соответствует рекомендуемым нормам питания. Проведенный корреляционный анализ между массо-ростовыми показателями детей дошкольного возраста и энергетической ценностью рационов питания установил прямую связь.

HYGIENIC ASSESSMENT OF THE DIETS OF CHILDREN OF PRESCHOOL AGE STAVROPOL WITH RESPEKT TO THE TECHNOLOGY OF COOKING

Tsirihova A.S., Minaev B.D.

Stavropol State Medical University of the Ministry of health of the Russian Federation, Stavropol, e-mail: vip-cirihova@mail.ru

The article presents the results of a study conducted nutrition and comparative characteristic of receipt of macro – and micronutrients with diets of children aged 3–7 years in the organized and unorganized collectives Stavropol considering cooking technology. Nutritional assessment of children was based on the study of 10-day – menu layouts. In addition, the surveys of parents whose children do not attend kindergarten. It was found that children whose nutrition is carried out in kindergarten with the outdated technology of cooking using obsolete equipment, and children whose nutrition provided in the home, do not meet the recommended nutritional standards. The correlation analysis between the mass – with growth rates of preschool children and dietary energy supply a direct link.

ОСОБЕННОСТИ ПИТАНИЯ ЖЕНЩИН Г. КИРОВА В ЗАВИСИМОСТИ ОТ ВОЗРАСТА

Чеботаева Г.Н., Хлыбова С.В., Петров С.Б., Григорович М.С.

ОАО «РЖД-ЗДОРОВЬЕ» санаторий-профилакторий «Сосновый бор»; ГБОУ ВПО «Кировская государственная медицинская академия», Киров, e-mail: semya@kirovgma.ru

С целью исследования особенностей питания проведено интервьюирование 105 женщин г. Кирова в возрасте 35–64 лет, пришедших на профилактический осмотр в женскую консультацию. Опрос пациенток проводился по специально разработанной анкете, состоящей из нескольких блоков. Один из них был посвящен особенностям питания женщин разных возрастных групп. Результаты нашего исследования выявили отличия пищевого стереотипа у женщин в зависимости от возраста. Выявлены особенности питания женщин в периоде менопаузального перехода, способствующие увеличению риска развития метаболического синдрома, остеопении, остеопороза, прогрессированию сердечно-сосудистой патологии, усилению вегетативной симптоматики. Полученные данные свидетельствуют о необходимости оптимизации подходов к профилактике заболеваний у женщин с организацией скрининга и коррекции диеты и могут быть использованы при индивидуальном консультировании женщин в Центрах здоровья, женских консультациях и в общетерапевтической практике.

FEATURES OF NUTRITION OF WOMEN OF KIROV DEPENDING ON AGE

Chebotaeva G.N., Khlybova S.V., Petrov S.B., Grigorovich M.S.

OAO «RZhD-Zdorov'e» sanatorij-profi laktorij «Sosnovyj bor»; Kirov State Medical Academy, Kirov, e-mail: semya@kirovgma.ru

We have interviewed women of the city of Kirov. The age of the women is 35–64 years. The survey was conducted using a special questionnaire. There were questions about nutrition of women of all ages. It shows the change of nutrition according to age. This may be due with the development of metabolic syndrome, osteopenia, osteopenosis, cardiovascular diseases during menopausal transition. This information helps to carry out prevention of diseases through dietary changes in time. And it also allows organizing individualized treatment in health centers, women's consultation and family doctors.

BALANCED DIET, NUTRITIONAL SUPPLEMENTS AND BIOSTIMULANTS, № 3 2014